Operations Specifications

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	08/28/2017	26
002 Definitions and Abbreviations	12/14/2017	12/19/2017	15
003 Ratings and Limitations	04/03/2017	08/28/2017	17
004 Summary of Special Authorizations and Limitations	09/23/1998	08/28/2017	13
007 Designated Persons	12/19/2006	02/27/2019	22
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	08/28/2017	7

Operations Specifications

A001. Issuance and Applicability

HQ Control: 02/11/2016

Certificate No.: CL5Y783M

HQ Revision:

05e

a. These operations specifications are issued to FOKKER SERVICES ASIA PTE. LTD., a Repair Station, located outside the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location: 1800 West Camp Road Seletar Aerospace Park Singapore, 797521 Singapore Mailing Address: 1800 West Camp Road Seletar Aerospace Park Singapore Singapore 797521

- b. The holder of these operations specifications is the holder of certificate number CL5Y783M and shall hereafter be referred to as the "certificate holder".
- c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the expiration date on the issued certificate for a repair station that is located outside the United States unless previously surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications located outside the EU performs maintenance and/or alteration of aircraft and/or aeronautical products to be installed on U.S.-registered aircraft under the terms and conditions of the applicable FAA and a foreign Aviation Authority's (AA) Maintenance Implementation Procedures (MIP) and related maintenance guidance under a Bilateral Aviation Safety Agreement.
- e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Jeffrey S. Neuin, Principal Maintenance Inspector (FS58) [1] EFFECTIVE DATE: 8/28/2017, [2] AMENDMENT #: 26 DATE: 2017.08.28 09:35:29 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Rijhiner, Francita, Quality and Safety Manager

Date

feb 2018

Operations Specifications

A002. Definitions and Abbreviations

HQ Control: 12/14/2017

HQ Revision: 05d

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA The Bilateral Aviation Safety Agreement (BASA) is an executive

agreement concluded between the United States and a foreign country

for the purpose of promoting aviation safety; also known as an

Agreement for the Promotion of Aviation Safety.

Certificate Holder In these operations specifications, the term "certificate holder" means

the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this

certificate.

CAAS Civil Aviation Authority of Singapore

CFR Code of Federal Regulations

Class Rating As used with respect to the certification, ratings, privileges of

airframes, powerplants, propellers, radios, instruments, and

accessories within a category having similar operating characteristics.

EASA European Aviation Safety Agency

EASA Accountable The manager who has corporate authority for ensuring that all

Manager maintenance required by the customer can be financed and carried out

maintenance required by the customer can be inhanced and carried out

to the standard required by the EASA full-member Authority.

EU European Union

Exemption An authorization that permits an alternate means of compliance with a

specific CFR. The exemption must meet the procedural requirements

of 14 CFR Part 11.

FOCA Federal Office of Civil Aviation

FAA Accountable A person designated by the certificated repair station who is

Manager responsible for and has authority over all repair station operations that

are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the

primary contact with the FAA.

Operations Specifications

Geographic Authorization

Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

Limited Rating

A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.

Limited Ratings -Specialized Services

Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.

Line Maintenance

Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

MAG

The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.

Maintenance

The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.

U.S./EU Aviation Safety Agreement, Annex 2, Maintenance

Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.

MIP

Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).

MOE

A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

FOKKER SERVICES ASIA PTE. LTD.

A002-2 Amdt. No: 15

Operations Specifications

Preventive Maintenance As defined in 14 CFR part 1 and part 43 appendix A,

subparagraph (c).

QCM

Quality Control Manual

Repair Station located in the United States

A FAA certificated repair station located in the United States.

Repair Station located

outside the United

A FAA certificated repair station located outside of the United States.

States

RSM

Repair Station Manual

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Anthony H Manachi, Principal Avionics Inspector (FS58) [1] SUPPORT INFO: HQ Template Revision. [2] EFFECTIVE DATE: 12/19/2017, [3] AMENDMENT #: 15

DATE: 2017.12.19 10:32:57 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Francita, Quality and Safety Manager

Date

1 feb 2018

FOKKER SERVICES ASIA PTE. LTD.

A002-3 Amdt. No: 15

Operations Specifications

A003 . Ratings and Limitations

HQ Control: 04/03/2017 **HQ Revision:** 01a

Certificate No.: CL5Y783M

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None authorized

Limited Ratings

Rating Accessories	Manufacturer From the accepted Capability List, as amended.	Make/Model From the accepted Capability List, as amended.	<u>Limitations</u> Capability List as amended.
Airframe	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to Aircraft Window maintenance in accordance with approved or data acceptable to the Administrator as identified on Capabilities List as ammended.
	ATR - GIE Avions de Transport Régional	ATR42 Series	Limited to Components Identified on Capabilities List as ammended. Calender Inspections, 1A thru 4A, 1C thru 4C and Cycle Inspections. To be accomplished in accordance with Manufactuer's Maintenance Program or an FAA Maintenance Program approved by the administrator.
	ATR - GIE Avions de Transport Régional	ATR72 Series	Limited to Components Identified on Capabilities List as ammended. Calender Inspections, 1A thru 4A, 1C thru 4C and Cycle Inspections. To be accomplished in accordance with Manufactuer's Maintenance Program or an FAA Maintenance Program approved by the administrator.
Engines	Canada Pratt & Whitney	PW 120 Series	Limited to the performance of engine removal/installation; hot section inspection and parts replacement; removal and installation of power turbine assembly, accessories, and components; engine build down and build up repair to include QEC. (excluding overhaul)
Propellers	Hamilton Standard	14 SF5, 568 F-1, 14	Limited to the performance of propeller inspection,

Operations Specifications

Rating

Manufacturer

Make/Model

Limitations

SF 11, 247 F-1, 14 SFL -11 removal, and installation. Assembly, disassembly of hubs, blades, deicing devices, blade seals, spinners, and spinner bulkheads. Repair (excluding overhaul).

Limited Ratings - Specialized Services

Rating

Specifications

Limitations

None Authorized

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Jeffrey S. Neuin, Principal Maintenance Inspector (FS58) [1] EFFECTIVE DATE: 8/28/2017, [2] AMENDMENT #: 17 DATE: 2017.08.28 09:35:40 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Rijhiner/Francita, Quality and Safety Manager

Date

1 feb 2018

FOKKER SERVICES ASIA PTE. LTD.

A003-2 Amdt. No: 17

Operations Specifications

A004 . Summary of Special Authorizations and Limitations HQ Control: 09/23/1998

HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

Reference Paragraphs

Use an acceptable electronic recordkeeping system, electronic/digital signature, and/or electronic media.

A025

Certificate No.: CL5Y783M

b. The certificate holder is not authorized and shall not:

Use Exemptions.	Reference Paragraphs A005
Perform maintenance with EASA ratings where the scope of work is authorized by a BASA/MAG (U.SEU), MIP/MaG (U.SSwiss).	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Jeffrey S. Neuin, Principal Maintenance Inspector (FS58) [1] EFFECTIVE DATE: 8/28/2017, [2] AMENDMENT #: 13 DATE: 2017.08.28 09:35:44 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Rijhiner, Francita, Quality and Safety Manager

Date

eb 2018

Operations Specifications

A007. Designated Persons

HQ Control: 12/19/2006

HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized
FAA Accountable Manager, 145	Scherer, Franck	A
AMRO Manager	Turnbull, Brian	A
Quality & Safety Manger	Wong, Walter	A

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 - Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Franck Scherer	franck.scherer@fokker.com	+6564811080	ALL
Brian Turnbull	brian.turnbull@fokker.com	+6564811080	ALL
Walter Wong	walter.wong@fokker.com	+6564811080	ALL

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.

Digitally signed by Diric Lester, Principal Avionics Inspector (FS58) [1] SUPPORT INFO: Per CL5Y request, removed Francita Rijhiner and replaced with Walter Wong as the Quality Manager. Also, per request removed G. Muthukumarasamy as CMRO Manager.
[2] EFFECTIVE DATE: 2/27/2019, [3] AMENDMENT #: 22

DATE: 2019.02.27 19:21:48 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Wong, Walter, Quality & Safety Manger

28 FEB. 2019

Date

FOKKER SERVICES ASIA PTE. LTD.

A007-1 Amdt. No: 22

Operations Specifications

A025 . Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media HQ Control: 04/03/2017

HO Revision: 00b

The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

N/A

The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

N/A

The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

RSQCM Page 8.

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Jeffrey S. Neuin, Principal Maintenance Inspector (FS58) [1] EFFECTIVE DATE: 8/28/2017, [2] AMENDMENT #: 7 DATE: 2017.08.28 09:35:52 -05:00

and receive the Operations Specifications in this paragraph. 3. I hereby accept

Rijhiner, Francita, Quality and Safety Manager

Date

1 feb 2018